

# PROTECT 100

## DECLARATION OF PERFORMANCE

No. **C04069-CPR-2030942**

1. Unique identification code of the product type: **PROTECT 100**
  
2. Intended use/s: **Surface protection products, hydrophobic impregnation**
  
3. Manufacturer: **DOMOCHEMICAL S.A.  
Papanikoli 40  
15232 Chalandri, Athens  
+30 210 6893954  
novamix@novamix.gr  
www.novamix.gr**
  
4. Authorised representative:
  
5. System/s of AVCP: **System 2+**
  
- 6a. Harmonised standard: **EN 1504-2:2004**
  
- Notified body/ies: **1128**

# PROTECT 100

7. Declared performance/s:

Essential characteristics	Performance	Harmonized Technical Specification
Depth of penetration	Class II: $\geq 10$ mm	
Water absorption and resistance to alkali as:		
- absorption ratio compared with the untreated specimen	< 7,5%	
- absorption ratio < 10 % after immersion in alkali solution	< 10%	EN 1504-2:2004
Drying rate for hydrophobic impregnation	Class I: > 30 %	
Dangerous substances	Comply with 5.3	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.


Signed for and on behalf of the manufacturer by:

Thiva, 14/12/2020

  
Dr. Plumis Papavassiliou  
R&D/QC Manager

End of information as required by Regulation (EU) No 305/2011 & 574/2014

# PROTECT 100

 1128
<b>DOMOCHEMICAL S.A.</b> PAPANIKOLI 40, 15232 CHALANDRI, ATHENS  <b>14</b>
<b>1128-CPR-0416/1</b>
<b>DoP No. C04069-CPR-2030942</b> <b>PROTECT 100</b> <b>EN 1504-2</b>
<b>Surface protection products, hydrophobic impregnation</b>
Depth of penetration: Class II: $\geq 10$ mm
Water absorption and resistance to alkali as: absorption ratio $< 7,5$ % compared with the untreated specimen absorption ratio $< 10$ % after immersion in alkali solution
Drying rate for hydrophobic impregnation: Class I: $> 30$ %
Dangerous substances comply with 5.3