

# NEUTROCLEANER

General purpose neutral cleaner

- ▷ **For daily use**
- ▷ **Highly effective**
- ▷ **Suitable for tiles, concrete and mineral surfaces**
- ▷ **Doesn't damage or alters colored joints between tiles**
- ▷ **Suitable for almost every type of covering**

## Description

NEUTROCLEANER is a highly effective neutral universal cleaner for removing household stains from concrete, tiles, natural stones and sensitive surfaces. It has high penetrating capability, effectively removes dirt in depth and restores original shade and shine.

## Uses

Suitable for cleaning concrete, tiles and natural stone from:

- coffee, wine, greasy residues and other stains
- Black shoe marks, household stains

For surfaces such as:

- Ceramic and gres porcelain tiles
- Concrete, microcement coatings, marble, PVC, linoleum etc.
- Walls, floors, wood etc.

Suitable for application in:

- Houses
- Public areas such as restaurants, hotels, hospitals
- Industrial areas and office buildings

## Technical Data

### Product Identity

Form	Liquid
Color	Transparent
Density	1,05 ± 0,02 kg/L
pH	7 ± 0,2

## Application procedure

### Application

Mix 30 – 50 ml NEUTROCLEANER with 3 liters of clean water and apply it on the surface. Leave it to rest for 5 – 10 minutes. Then rub lightly with a brush or sponge. There is no need to rinse the surface. In highly persistent or deeply impregnated stains it can be applied insoluble to the stained surface. In this case let it act for a few minutes and rinse with clean water.

---

### Recommendations

Do not apply:

- On particularly sensitive surfaces without testing
- On any surface before consulting the safe use instructions on the label before using
- Keep out of reach of children

---

### Consumption

General cleaning 1200 - 1500 m<sup>2</sup>/L diluted 1:200

---

### Storage

NEUTROCLEANER remains stable for at least 12 months from production date, in its sealed original packing, stored in dry conditions and temperatures between +5°C and +35°C.

---

### Packaging

Containers of 1L and 5L.

---

### Safety Instructions

For information and instructions regarding disposal and safe handling, users should refer to the latest Safety Data Sheet of the product containing ecological, toxicological and other safety related data.

---

### Legal Notes

The technical data and recommendations contained or listed in this leaflet are the result of laboratory measurements, of our current knowledge and experience. All the above-mentioned information and specifications should in any case be considered as indicative, as they may differ from each other. The Company makes every effort to ensure the accuracy of the information provided herein. Product specifications, prices and availability are subject to change without notice and may differ from those shown.

In practice, variations in materials, substrates and on-site implementation conditions are such that no warranty can be given or implied, as to the merchantability or suitability of the materials for a particular purpose and for the exact conditions of each project. Anyone interested of using the product must be sure beforehand that the product is suitable for the intended use and in any case, the user is solely responsible for any consequences due to the use of the product. Among other things, the Company is not responsible for any normal wear or tear from environmental or other inappropriate conditions. We reserve the right to revise or change the data herein without prior notice.

Restrictions and disclaimers apply to the extent permitted by applicable law. The Company has a Technical Support Department, which is the only one

responsible for providing technical advice and solutions to deal with problems. Requests to the Technical Support Department are addressed and answered, only in writing.

For the latest and a valid version of the Technical Data Sheet, the user of the material must refer to our website [www.novamix.gr](http://www.novamix.gr) or directly to the QR Code of the product.

---



**DOMOCHEMICAL S.A.**  
40 Papanikoli str.  
Chalandri, 15232, Athens  
T +30 210 68 93 953  
F +30 210 68 94 571  
[novamix@novamix.gr](mailto:novamix@novamix.gr)