

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### PLANOPRIMER EPOXY



SDS:520010330-8170B-009

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: PLANOPRIMER EPOXY PART B

Other means of identification:

**UFI:** MVC0-30H6-K007-4XK1

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Primer

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

DOMOCHEMICAL S.A. BUILDING MATERIALS

PAPANIKOLI STR. 40

15232 CHALANDRI, ATHENS - ATTIKI - GREECE

Phone: +302106893953 - Fax: +302106894571

plumis@novamix.gr www.novamix.gr

**1.4 Emergency telephone number:** + 30 210 77 93 777

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H302+H332

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Corr. 1B: Skin corrosion, Category 1B, H314 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

#### 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:

## Danger





## **Hazard statements:**

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

# **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

# Substances that contribute to the classification

benzyl alcohol (CAS: 100-51-6); 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (CAS: 38294-64-3); 3-aminomethyl-3,5,5-trimethylcyclohexylamine (CAS: 2855-13-2)

**UFI:** MVC0-30H6-K007-4XK1

#### 2.3 Other hazards:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**



SDS:520010330-8170B-009

# SECTION 2: HAZARDS IDENTIFICATION (continued)

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Solution composed of amines

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification  | Chemical name/Classification  | Concentration |
|---|---|---------------|
| CAS: 100-51-6<br>EC: 202-859-9<br>Index: 603-057-00-5<br>REACH: 01-2119492630-38-<br>XXXX     | benzyl alcohol(1)  Regulation 1272/2008  Acute Tox. 4: H302+H332; Eye Irrit. 2: H319 - Warning  | 20 - <45 %    |
| CAS: 38294-64-3<br>EC: 500-101-4<br>Index: Non-applicable<br>REACH: 01-2119965165-33-<br>XXXX | 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine(1)  Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1: H317 - 1 | 20 - <45 %    |
| CAS: 2855-13-2<br>EC: 220-666-8<br>Index: 612-067-00-9<br>REACH: 01-2119514687-32-<br>XXXX    | 3-aminomethyl-3,5,5-trimethylcyclohexylamine(1)  Regulation 1272/2008  Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger  | 20 - <45 %    |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

# Other information:

| Identification  | Specific concentration limit          |
|---|---------------------------------------|
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine<br>CAS: 2855-13-2<br>EC: 220-666-8 | % (w/w) >=0,001: Skin Sens. 1A - H317 |

# **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

## By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

## By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as guickly as possible with the SDS of the product.

#### By ingestion/aspiration:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### PLANOPRIMER EPOXY



SDS:520010330-8170B-009

## SECTION 4: FIRST AID MEASURES (continued)

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

# For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

## 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

## 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) **Page 3/13** 



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### PLANOPRIMER EPOXY



#### SDS:520010330-8170B-009

# SECTION 7: HANDLING AND STORAGE (continued)

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

|   |            | Short          | exposure       | Long                    | exposure                |
|---|------------|----------------|----------------|-------------------------|-------------------------|
| Identification  |            | Systemic       | Local          | Systemic                | Local                   |
| benzyl alcohol  | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable          |
| CAS: 100-51-6   | Dermal     | 40 mg/kg       | Non-applicable | 8 mg/kg                 | Non-applicable          |
| EC: 202-859-9   | Inhalation | 110 mg/m³      | Non-applicable | 22 mg/m <sup>3</sup>    | Non-applicable          |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable          |
| CAS: 38294-64-3   | Dermal     | Non-applicable | Non-applicable | 0,14 mg/kg              | Non-applicable          |
| EC: 500-101-4   | Inhalation | Non-applicable | Non-applicable | 0,493 mg/m <sup>3</sup> | Non-applicable          |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine  | Oral       | Non-applicable | Non-applicable | Non-applicable          | Non-applicable          |
| CAS: 2855-13-2  | Dermal     | Non-applicable | Non-applicable | Non-applicable          | Non-applicable          |
| EC: 220-666-8   | Inhalation | Non-applicable | Non-applicable | Non-applicable          | 0,073 mg/m <sup>3</sup> |

## **DNEL (General population):**

|                |            | Short exposure |                | Long exposure         |                |
|----------------|------------|----------------|----------------|-----------------------|----------------|
| Identification |            | Systemic       | Local          | Systemic              | Local          |
| benzyl alcohol | Oral       | 20 mg/kg       | Non-applicable | 4 mg/kg               | Non-applicable |
| CAS: 100-51-6  | Dermal     | 20 mg/kg       | Non-applicable | 4 mg/kg               | Non-applicable |
| EC: 202-859-9  | Inhalation | 27 mg/m³       | Non-applicable | 5,4 mg/m <sup>3</sup> | Non-applicable |



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## **PLANOPRIMER EPOXY**



#### SDS:520010330-8170B-009

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

|   |            | Short e        | xposure        | Long ex                 | kposure        |
|---|------------|----------------|----------------|-------------------------|----------------|
| Identification  |            | Systemic       | Local          | Systemic                | Local          |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine | Oral       | Non-applicable | Non-applicable | 0,05 mg/kg              | Non-applicable |
| CAS: 38294-64-3   | Dermal     | Non-applicable | Non-applicable | 0,05 mg/kg              | Non-applicable |
| EC: 500-101-4   | Inhalation | Non-applicable | Non-applicable | 0,074 mg/m <sup>3</sup> | Non-applicable |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine  | Oral       | Non-applicable | Non-applicable | 0,526 mg/kg             | Non-applicable |
| CAS: 2855-13-2  | Dermal     | Non-applicable | Non-applicable | Non-applicable          | Non-applicable |
| EC: 220-666-8   | Inhalation | Non-applicable | Non-applicable | Non-applicable          | Non-applicable |

## PNEC:

| Identification  |              |                |                         |             |
|---|--------------|----------------|-------------------------|-------------|
| benzyl alcohol  | STP          | 39 mg/L        | Fresh water             | 1 mg/L      |
| CAS: 100-51-6   | Soil         | 0,456 mg/kg    | Marine water            | 0,1 mg/L    |
| EC: 202-859-9   | Intermittent | 2,3 mg/L       | Sediment (Fresh water)  | 5,27 mg/kg  |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,527 mg/kg |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine | STP          | 10 mg/L        | Fresh water             | 0,011 mg/L  |
| CAS: 38294-64-3   | Soil         | 864 mg/kg      | Marine water            | 0,001 mg/L  |
| EC: 500-101-4   | Intermittent | 0,111 mg/L     | Sediment (Fresh water)  | 4320 mg/kg  |
|   | Oral         | 0,001 g/kg     | Sediment (Marine water) | 432 mg/kg   |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine  | STP          | 3,18 mg/L      | Fresh water             | 0,06 mg/L   |
| CAS: 2855-13-2  | Soil         | 1,121 mg/kg    | Marine water            | 0,006 mg/L  |
| EC: 220-666-8   | Intermittent | 0,23 mg/L      | Sediment (Fresh water)  | 5,784 mg/kg |
|   | Oral         | Non-applicable | Sediment (Marine water) | 0,578 mg/kg |

# 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

| Pictogram                                    | PPE                               | Labelling | CEN Standard        | Remarks  |
|--|-----------------------------------|-----------|---------------------|--|
| Mandatory<br>respiratory tract<br>protection | Filter mask for gases and vapours | CAT III   | EN 405:2002+A1:2010 | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |

# C.- Specific protection for the hands

| Pictogram                 | PPE                                       | Labelling | CEN Standard  | Remarks  |
|---------------------------|---|-----------|---|--|
| Mandatory hand protection | NON-disposable chemical protective gloves | CAT III   | EN ISO 374-1:2016+A1:2018<br>EN 16523-1:2015+A1:2018<br>EN ISO 21420:2020 | The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**



#### SDS:520010330-8170B-009

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram                 | PPE         | Labelling | CEN Standard  | Remarks   |
|---------------------------|-------------|-----------|---|---|
| Mandatory face protection | Face shield | CATII     | EN 166:2002<br>EN 167:2002<br>EN 168:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

# E.- Body protection

| Pictogram                          | PPE   | Labelling | CEN Standard   | Remarks   |
|------------------------------------|---|-----------|--|---|
| Mandatory complete body protection | Disposable clothing for protection against chemical risks | CAT III   | EN 13034:2005+A1:2009<br>EN 168:2002<br>EN ISO 13982-1:2004/A1:2010<br>EN ISO 6529:2013<br>EN ISO 6530:2005<br>EN 464:1994 | For professional use only. Clean periodically according to the manufacturer's instructions. |
| Mandatory foot protection          | Safety footwear for protection<br>against chemical risk   | CAT III   | EN ISO 20345:2011<br>EN 13832-1:2019   | Replace boots at any sign of deterioration.   |

#### F.- Additional emergency measures

| Emergency measure | Standards                                       | Emergency measure | Standards                                      |
|-------------------|---|-------------------|--|
| Emergency shower  | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | Eyewash stations  | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

## **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight
V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)
Average carbon number: Non-applicable
Average molecular weight: Non-applicable

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

# Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Colour:

Colour:

Aminic

Odour threshold: Non-applicable \*

Volatility:

Boiling point at atmospheric pressure: 223 °C Vapour pressure at 20 °C: 5 Pa

Vapour pressure at 50 °C: 61,8 Pa (0,06 kPa)

Evaporation rate at 20 °C: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) **Page 6/13** 



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**



SDS:520010330-8170B-009

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

**Product description:** 

Density at 20 °C: 994,9 kg/m<sup>3</sup> Relative density at 20 °C: 0,995 Dynamic viscosity at 20 °C: 3,81 cP Kinematic viscosity at 20 °C: 3,83 mm<sup>2</sup>/s Kinematic viscosity at 40 °C: Non-applicable \* Concentration: Non-applicable \* pH: Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Non-applicable \*

Solubility in water at 20 °C:

Solubility properties:

Non-applicable \*

Non-applicable \*

Decomposition temperature: Non-applicable \*
Melting point/freezing point: Non-applicable \*

Flammability:

Flash Point: 104 °C

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 380 °C

Lower flammability limit: Non-applicable \*
Upper flammability limit: Non-applicable \*

**Particle characteristics:** 

Median equivalent diameter: Non-applicable

## 9.2 Other information:

# Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Non-applicable \*

Corrosive to metals:

Heat of combustion:

Aerosols-total percentage (by mass) of flammable components:

Non-applicable \*

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Non-applicable \*

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

## 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

# 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

## 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) **Page 7/13** 



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### PLANOPRIMER EPOXY



SDS:520010330-8170B-009

## SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Precaution          | Not applicable        | Avoid alkalis or strong bases |

## 10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
  - Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity: Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
    - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

## Other information:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## **PLANOPRIMER EPOXY**



SDS:520010330-8170B-009

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Non-applicable

# Specific toxicology information on the substances:

| Identification                               | Acu             | Acute toxicity |     |  |
|--|-----------------|----------------|-----|--|
| benzyl alcohol                               | LD50 oral       | 500 mg/kg      | Rat |  |
| CAS: 100-51-6                                | LD50 dermal     | 2500 mg/kg     |     |  |
| EC: 202-859-9                                | LC50 inhalation | 11 mg/L (ATEi) |     |  |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | LD50 oral       | 1030 mg/kg     | Rat |  |
| CAS: 2855-13-2                               | LD50 dermal     | Non-applicable |     |  |
| EC: 220-666-8                                | LC50 inhalation | Non-applicable |     |  |

## 11.2 Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

# 12.1 Toxicity:

# Acute toxicity:

| Identification  | Concentration |                       | Species                 | Genus      |
|---|---------------|-----------------------|-------------------------|------------|
| benzyl alcohol  | LC50          | 646 mg/L (48 h)       | Leuciscus idus          | Fish       |
| CAS: 100-51-6   | EC50          | 400 mg/L (24 h)       | Daphnia magna           | Crustacean |
| EC: 202-859-9   | EC50          | 79 mg/L (3 h)         | Scenedesmus subspicatus | Algae      |
| 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine | LC50          | >10 - 100 mg/L (96 h) |                         | Fish       |
| CAS: 38294-64-3   | EC50          | >10 - 100 mg/L (48 h) |                         | Crustacean |
| EC: 500-101-4   | EC50          | >10 - 100 mg/L (72 h) |                         | Algae      |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine  | LC50          | 110 mg/L (96 h)       | Leuciscus idus          | Fish       |
| CAS: 2855-13-2  | EC50          | 388 mg/L (48 h)       | N/A                     | Crustacean |
| EC: 220-666-8   | EC50          | Non-applicable        |                         |            |

# **Chronic toxicity:**

| Identification                               | Concentration |                | Species       | Genus      |
|--|---------------|----------------|---------------|------------|
| benzyl alcohol                               | NOEC          | 48,897 mg/L    | N/A           | Fish       |
| CAS: 100-51-6 EC: 202-859-9                  | NOEC          | 51 mg/L        | Daphnia magna | Crustacean |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | NOEC          | Non-applicable |               |            |
| CAS: 2855-13-2 EC: 220-666-8                 | NOEC          | 3 mg/L         | Daphnia magna | Crustacean |

# 12.2 Persistence and degradability:

## **Substance-specific information:**

| Identification                               | Degr     | radability Biodegradability |                 | ility    |
|--|----------|-----------------------------|-----------------|----------|
| benzyl alcohol                               | BOD5     | Non-applicable              | Concentration   | 100 mg/L |
| CAS: 100-51-6                                | COD      | Non-applicable              | Period          | 14 days  |
| EC: 202-859-9                                | BOD5/COD | Non-applicable              | % Biodegradable | 94 %     |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | BOD5     | Non-applicable              | Concentration   | 7 mg/L   |
| CAS: 2855-13-2                               | COD      | Non-applicable              | Period          | 28 days  |
| EC: 220-666-8                                | BOD5/COD | Non-applicable              | % Biodegradable | 8 %      |

# 12.3 Bioaccumulative potential:

# **Substance-specific information:**



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**



SDS:520010330-8170B-009

# SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Bioaccumulation potential |     |
|----------------|---------------------------|-----|
| benzyl alcohol | BCF                       | 0   |
| CAS: 100-51-6  | Pow Log                   | 1.1 |
| EC: 202-859-9  | Potential                 | Low |

## 12.4 Mobility in soil:

| Identification                               | Absorpti        | on/desorption        | Volatility |                   |
|--|-----------------|----------------------|------------|-------------------|
| benzyl alcohol                               | Кос             | Non-applicable       | Henry      | Non-applicable    |
| CAS: 100-51-6                                | Conclusion      | Non-applicable       | Dry soil   | Non-applicable    |
| EC: 202-859-9                                | Surface tension | 3,679E-2 N/m (25 °C) | Moist soil | Non-applicable    |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | Кос             | 928                  | Henry      | 4,46E-4 Pa·m³/mol |
| CAS: 2855-13-2                               | Conclusion      | Low                  | Dry soil   | No                |
| EC: 220-666-8                                | Surface tension | Non-applicable       | Moist soil | No                |

#### 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

#### 12.7 Other adverse effects:

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

| Code      | Description   | Waste class (Regulation (EU) No<br>1357/2014) |
|-----------|---|---|
| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances | Dangerous                                     |

# Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP13 Sensitising, HP8 Corrosive

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

# Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**

8



#### SDS:520010330-8170B-009

# SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number or ID number: UN2735

AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, 14.2 UN proper shipping name: oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction

products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

14.3 Transport hazard class(es):

8 Lahels: 14.4 Packing group: Π

14.5 Environmental hazards: Nο

14.6 Special precautions for user

274 Special regulations: Tunnel restriction code: F

Physico-Chemical properties: see section 9

Limited quantities:

14.7 Maritime transport in bulk

according to IMO instruments:

Non-applicable

## Transport of dangerous goods by sea:

With regard to IMDG 40-20:

14.1 UN number or ID number: UN2735

14.2 UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction

products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

14.3 Transport hazard class(es): 8

> Labels: 8

ΙΙ 14.4 Packing group: 14.5 Marine pollutant: No

14.6 Special precautions for user

274 Special regulations: EmS Codes: F-A, S-B Physico-Chemical properties: see section 9 Limited quantities: 1 L

Segregation group: SGG18

14.7 Maritime transport in bulk

according to IMO instruments:

Non-applicable

# Transport of dangerous goods by air:

With regard to IATA/ICAO 2023:



14.1 UN number or ID number: UN2735

14.2 UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol,

oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction

products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

14.3 Transport hazard class(es):

8 Labels: 14.4 Packing group: ΙΙ 14.5 Environmental hazards: No

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Maritime transport in bulk

according to IMO instruments:

Non-applicable

Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) Page 11/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### PLANOPRIMER EPOXY



SDS:520010330-8170B-009

# **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Seveso III:

Non-applicable

# Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- —tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

# Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

# Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H302+H332: Harmful if swallowed or if inhaled.

H314: Causes severe skin burns and eye damage.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

# CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

# Classification procedure:

Eye Dam. 1: Calculation method Skin Sens. 1A: Calculation method Aquatic Chronic 3: Calculation method Acute Tox. 4: Calculation method Skin Corr. 1B: Calculation method

Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) Page 12/13



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

#### **PLANOPRIMER EPOXY**



#### SDS:520010330-8170B-009

# SECTION 16: OTHER INFORMATION (continued)

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

## **Principal bibliographical sources:**

http://echa.europa.eu http://eur-lex.europa.eu

## **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor

LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET 
Date of compilation: 26/11/2014 Revised: 07/06/2023 Version: 9 (Replaced 8) Page 13/13