

PLANO 120 S/F

DECLARATION OF PERFORMANCE

No. **C00052-CPR-2155022**

- | | |
|--|--|
| 1. Unique identification code of the product type: | PLANO 120 S/F |
| 2. Intended use/s: | Cementitious screed material
CT-C50-F10-A9-B1.5 |
| 3. Manufacturer: | DOMOCHEMICAL S.A.
Papanikoli 40
15232 Chalandri, Athens
+30 210 6893954
novamix@novamix.gr
www.novamix.gr |
| 4. Authorised representative: | |
| 5. System/s of AVCP: | System 4 |
| 6a. Harmonised standard: | EN 13813:2002 |
| Notified body/ies: | - |

PLANO 120 S/F

7. Declared performance/s:

Essential characteristics	Performance	Harmonized Technical Specification
Release of corrosive substances	CT	EN 13813:2002
Compressive strength	C50	
Flexural strength	F10	
Wear resistance	A9	
Bond strength	B1.5	
Reaction to fire	A1	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Thiva, 11/02/2021


Dr. Plumis Papayassiliou
R&D/QC Manager

End of information as required by Regulation (EU) No 305/2011 & 574/2014

PLANO 120 S/F



17

ΔΟΜΟΧΗΜΙΚΗ Α.Β.Ε.Ε.
ΠΑΠΑΝΙΚΟΛΗ 40, 15232 ΧΑΛΑΝΔΡΙ, ΑΘΗΝΑ
DOMOCHEMICAL S.A
ΠΑΡΑΝΙΚΟΛΙ 40, 15232 CHALANDRI, ATHENS

EN 13813:2002
PLANO 120 S/F
DoP No.: C00052-CPR-2155022

Τσιμεντοειδές κονίαμα διάστρωσης δαπέδων
Cementitious screed material

Απελευθέρωση διαβρωτικών ουσιών	Release of corrosive substances	CT
Θλιπτική αντοχή	Compressive strength	C50
Καμπτική αντοχή	Flexural strength	F10
Ανθεκτικότητα στη φθορά	Wear resistance	A9
Αντοχή πρόσφυσης	Bond strength	B1,5
Αντίδραση στη φωτιά	Reaction to fire	A1